



MINERAL SPIRITS 66 (1% Aromatic)

	<u>SPECIFICATIONS</u>	<u>TYPICALS*</u>
Gravity, API at 60°F (D-287) (D-4052)		43.2 - 57.5
Specific Gravity at 60°F (D-4052) (D-287)	0.748 - 0.810	
Color, Saybolt (D-156)	+28 min	+30
Kauri-Butanol Value (D-1133)	28 min.	32
Corrosion (D-130)	1 max.	
Flash Point, °F, T.C.C. (D-56)	105 min	
Composition, Volume % Aromatics	1.0 max	
Distillation, °F (D-86)		
IBP	300 min (148.9°C)	
50%	355 max (179.4°C)	
Dry Point	415 max (212.8°C)	

Material Code: 86315 (BULK)

*Typical values should not be construed as a guaranteed analysis of any specific lot.

() Indicates ASTM Test Method

1701



112 Grace Ave
Clontarf, MN 56226

1200 29th Ave NE
Sauk Rapids, MN 56379

530 E Amidon St
Sioux Falls, SD 57104



1.800.992.8815



320.251.2131



orderdesk@chamberlainoil.com