



Safety Data Sheet

-25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : -25F Windshield Washer Fluid
Product Use Description : Solvent.
Manufacturer or supplier's details
Company : METHANEX
Address : 3806 BOX SPRINGS ROAD NW
MEDICINE HAT, AB T1A 7H1

Emergency telephone number:
Health North America: 1-855-NEXEO4U (1-855-639-3648)
Health International: 1-855-NEXEO4U (1-855-639-3648)
Transport North America: CHEMTREC 800.424.9300

Additional Information: : Responsible Party: Product Safety Group
E-Mail: msds@nexeosolutions.com
SDS Requests: 1-855-429-2661
SDS Requests Fax: 1-281-500-2370
Website: www.nexeosolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 4
Acute toxicity (Dermal) : Category 4
Specific target organ toxicity - single exposure : Category 1 (Eyes, Central nervous system)

GHS Label element

Hazard pictograms :   

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.
H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled



Safety Data Sheet

-25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

H370 Causes damage to organs (Eyes, Central nervous system).

Precautionary statements : **Prevention:**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.



Safety Data Sheet -25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

| | |
|-------------|---|
| OSHA | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. |
| NTP | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |

Emergency Overview

| | |
|----------------|---------------------------|
| Physical state | liquid |
| Colour | clear, colourless |
| Hazard Summary | No information available. |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

| CAS-No. | Chemical Name | Concentration (%) |
|---------|---------------|-------------------|
| 67-56-1 | Methanol | 20 - 30 |

SECTION 4. FIRST AID MEASURES

| | |
|-------------------------|---|
| General advice | : Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. |
| If inhaled | : If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician. |
| In case of skin contact | : If on skin, rinse well with water. If on clothes, remove clothes. |
| In case of eye contact | : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear. |



Safety Data Sheet

-25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

- | | |
|---|--|
| Suitable extinguishing media | : Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : No hazardous combustion products are known |
| Specific extinguishing methods | : Use a water spray to cool fully closed containers. |
| Further information | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for fire-fighting if necessary. |

NFPA Flammable and Combustible Liquids Classification:

Flammable Liquid Class IC

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
|---|---|



Safety Data Sheet -25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid formation of aerosol. Do not breathe vapours/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Container may be opened only under exhaust ventilation hood. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| CAS-No. | Components | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---------|------------|-------------------------------|--|-------|
| 67-56-1 | Methanol | TWA | 200 ppm | ACGIH |



Safety Data Sheet -25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

| | | | | |
|--|--|------|----------------------------------|-----------|
| | | STEL | 250 ppm | ACGIH |
| | | TWA | 200 ppm 260 mg/m ³ | NIOSH REL |
| | | ST | 250 ppm 325 mg/m ³ | NIOSH REL |
| | | TWA | 200 ppm 260 mg/m ³ | OSHA Z-1 |
| | | STEL | 250 ppm 325 mg/m ³ | OSHA P0 |
| | | TWA | 200 ppm 260 mg/m ³ | OSHA P0 |

Biological occupational exposure limits

| Components | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
|------------|---------|--------------------|---------------------|---|---------------------------|--------------|
| Methanol | 67-56-1 | Methanol | Urine | End of shift (As soon as possible after exposure ceases) | 15 mg/l | ACGIH BEI |

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
In the case of vapour formation use a respirator with an approved filter.

Hand protection
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



Safety Data Sheet

-25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

| | |
|---|---|
| Appearance | : liquid |
| Colour | : clear, colourless |
| Odour | : No data available |
| Odour Threshold | : No data available |
| pH | : No data available |
| Freezing Point | : No data available |
| Boiling Point | : No data available |
| Flash point | : 35 °C (95 °F) |
| Evaporation rate | : No data available |
| Flammability (solid, gas) | : No data available |
| Burning rate | : No data available |
| Upper explosion limit | : No data available |
| Lower explosion limit | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density | : No data available |
| Relative density | : No data available |
| Density | : 0.951 g/cm ³ @ 68.00 °F (68.00 °F) |
| Bulk density | : No data available |
| Water solubility | : No data available |
| Solubility in other sol- vents | : No data available |
| Partition coefficient: n-oc- tanol/water | : No data available |
| Auto-ignition temperature | : No data available |
| Thermal decomposition | : No data available |



Safety Data Sheet -25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

SECTION 10. STABILITY AND REACTIVITY

| | |
|------------------------------------|--|
| Reactivity | : No dangerous reaction known under conditions of normal use. |
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : No hazards to be specially mentioned. |
| Conditions to avoid | : Keep away from heat, flame, sparks and other ignition sources. |
| Incompatible materials | : Strong oxidizing agents |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

| | |
|---------------------------|---|
| Acute oral toxicity | : Acute toxicity estimate : 334.3 mg/kg Method: Calculation method |
| Acute inhalation toxicity | : Acute toxicity estimate : 10.03 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method |
| Acute dermal toxicity | : Acute toxicity estimate : 1,003 mg/kg Method: Calculation method |

Components:

67-56-1:

| | |
|---------------------------|--|
| Acute oral toxicity | : LD50 (Rat): 100 mg/kg Assessment: The component/mixture is toxic after single ingestion. |
| Acute inhalation toxicity | : LC50 (Rat): 5 mg/l Assessment: The component/mixture is toxic after short term inhalation. |
| Acute dermal toxicity | : LD50 (Rabbit): 300 mg/kg Assessment: The component/mixture is toxic after single contact with skin. |



Safety Data Sheet

-25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

Skin corrosion/irritation

Components:

67-56-1:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Components:

67-56-1:

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation

Components:

67-56-1:

Test Type: Maximisation Test (GPMT)

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

67-56-1:

Genotoxicity in vitro : Test Type: DNA damage and/or repair
Metabolic activation: with and without metabolic activation
Result: Ambiguous

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Test species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Intraperitoneal
Exposure time: Single
Dose: 0, 1920, 3200, 4480 mg/kg
Result: negative

Germ cell mutagenicity-Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Components:

67-56-1:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.



Safety Data Sheet -25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

Reproductive toxicity

Components:

67-56-1:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Inhalation
Dose: 0, 0.013, 0.13, 1.3 mg/L
Duration of Single Treatment: 20 h
General Toxicity - Parent: NOAEC: 1.3 mg/l
General Toxicity F1: NOAEC: 0.13 mg/l
Fertility: NOAEC: 1.3 mg/l
Symptoms: Effects on postnatal development
Result: Animal testing did not show any effects on fertility.

Reproductive toxicity - Assessment : Fertility classification not possible from current data.
Embryotoxicity classification not possible from current data.

STOT - single exposure

Product:No data available

Components:

67-56-1:

| Exposure routes: | Target Organs: | Assessment: | Remarks: |
|------------------|------------------------------|--|----------|
| | Eyes, Central nervous system | Causes damage to organs., The substance or mixture is classified as specific target organ toxicant, single exposure, category 1. | |

STOT - repeated exposure

Product:No data available

Components:

67-56-1:No data available

Repeated dose toxicity

Components:

67-56-1:

Species: Mouse, male and female
NOAEL: 1.3 mg/l
Application Route: Inhalation



Safety Data Sheet -25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

Exposure time: 12 mths
Number of exposures: Continuous
Dose: 0, 0.013, 0.13, 1.3 mg/L

Aspiration toxicity

Product:

No aspiration toxicity classification

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

67-56-1:

| | |
|---|---|
| Toxicity to fish | : LC50 (Lepomis macrochirus (Bluegill sunfish)): 15,400 mg/l Exposure time: 96 h Test Type: flow-through test |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test Type: static test |
| Toxicity to algae | : EC50 (Scenedesmus capricornutum (fresh water algae)): 22,000 mg/l End point: Growth rate Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 201 |
| Toxicity to bacteria | : IC50 (activated sludge): > 1,000 mg/l End point: Growth rate Exposure time: 3 h Test Type: Static Method: OECD Test Guideline 209 |

Persistence and degradability

Components:



Safety Data Sheet

-25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

67-56-1:

Biodegradability : aerobic
Result: Readily biodegradable
Biodegradation: 72 %
Remarks: Readily biodegradable

Biochemical Oxygen Demand (BOD) : 600 - 1,120 mg/g

Chemical Oxygen Demand (COD) : 1,420 mg/g

BOD/COD : BOD: 600 - 1120COD: 1420

Stability in water : Hydrolysis: 91 % at 19 °C (72 h)
Remarks: Hydrolyses on contact with water.
Hydrolyses readily.

Bioaccumulative potential

Components:

67-56-1:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 1.0
Exposure time: 72 d
Temperature: 20 °C
Concentration: 5 mg/l
Remarks: This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Partition coefficient: n-octanol/water : log Pow: -0.77

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation : 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App. A + B).

Additional ecological information : No data available



Safety Data Sheet -25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group at 800-637-7922.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association): UN1993, FLAMMABLE LIQUID, N.O.S., (METHANOL), 3, III, Flash Point:35 °C(95 °F)

IMDG (International Maritime Dangerous Goods): UN1993, FLAMMABLE LIQUID, N.O.S., (METHANOL), 3, III

DOT (Department of Transportation): UN1993, Flammable liquids, n.o.s., (METHANOL), 3, III

SECTION 15. REGULATORY INFORMATION

- OSHA Hazards** : Flammable liquid, Harmful by ingestion, Harmful by skin absorption, Harmful by inhalation., Specific target organ toxicity - single exposure

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|------------|---------|--------------------|-----------------------------|
| Methanol | 67-56-1 | 5000 | * |

*: Calculated RQ exceeds reasonably attainable upper limit.



Safety Data Sheet -25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard
Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

| | | |
|---------|----------|-----------|
| 67-56-1 | Methanol | 29.9133 % |
|---------|----------|-----------|

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

| | | |
|---------|----------|-----------|
| 67-56-1 | Methanol | 29.9133 % |
|---------|----------|-----------|

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

| | | |
|---------|----------|-----------|
| 67-56-1 | Methanol | 29.9133 % |
|---------|----------|-----------|

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. Clean-Water Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

| | | |
|---------|----------|-----------|
| 67-56-1 | Methanol | 20 - 30 % |
|---------|----------|-----------|

Pennsylvania Right To Know

| | | |
|-----------|----------|-----------|
| 7732-18-5 | Water | 70 - 90 % |
| 67-56-1 | Methanol | 20 - 30 % |

New Jersey Right To Know

| | | |
|-----------|----------|-----------|
| 7732-18-5 | Water | 70 - 90 % |
| 67-56-1 | Methanol | 20 - 30 % |

California Prop 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:



Safety Data Sheet -25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

| | | |
|---|---|---|
| United States TSCA Inventory | : | y (positive listing) (On TSCA Inventory) |
| Canadian Domestic Substances List (DSL) | : | y (positive listing) (All components of this product are on the Canadian DSL.) |
| Australia Inventory of Chemical Substances (AICS) | : | y (positive listing) (On the inventory, or in compliance with the inventory) |
| New Zealand. Inventory of Chemical Substances | : | y (positive listing) (On the inventory, or in compliance with the inventory) |
| Japan. ENCS - Existing and New Chemical Substances Inventory | : | n (Negative listing) (Not in compliance with the inventory) |
| Korea. Korean Existing Chemicals Inventory (KECI) | : | y (positive listing) (On the inventory, or in compliance with the inventory) |
| Philippines Inventory of Chemicals and Chemical Substances (PICCS) | : | y (positive listing) (On the inventory, or in compliance with the inventory) |
| China. Inventory of Existing Chemical Substances in China (IECSC) | : | y (positive listing) (On the inventory, or in compliance with the inventory) |



Safety Data Sheet


-25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

SECTION 16. OTHER INFORMATION **Further information**

NFPA:



HMIS III:

| | |
|------------------------|----------|
| HEALTH | 2 |
| FLAMMABILITY | 3 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

Legacy MSDS: R0409058

Material number:
144783, 107155, 77663

| Key or legend to abbreviations and acronyms used in the safety data sheet | | | |
|--|---|-------|---|
| ACGIH | American Conference of Government Industrial Hygienists | LD50 | Lethal Dose 50% |
| AICS | Australia, Inventory of Chemical Substances | LOAEL | Lowest Observed Adverse Effect Level |
| DSL | Canada, Domestic Substances List | NFPA | National Fire Protection Agency |
| NDSL | Canada, Non-Domestic Substances List | NIOSH | National Institute for Occupational Safety & Health |
| CNS | Central Nervous System | NTP | National Toxicology Program |
| CAS | Chemical Abstract Service | NZIoC | New Zealand Inventory of Chemicals |
| EC50 | Effective Concentration | NOAEL | No Observable Adverse Effect Level |
| EC50 | Effective Concentration 50% | NOEC | No Observed Effect Concentration |
| EGEST | EOSCA Generic Exposure Scenario Tool | OSHA | Occupational Safety & Health Administration |
| EOSCA | European Oilfield Specialty Chemicals Association | PEL | Permissible Exposure Limit |



Safety Data Sheet -25F Windshield Washer Fluid

Version 1.0

Revision Date: 07/14/2015

| | | | |
|--------|--|-------|--|
| EINECS | European Inventory of Existing Chemical Substances | PICCS | Philippines Inventory of Commercial Chemical Substances |
| MAK | Germany Maximum Concentration Values | PRNT | Presumed Not Toxic |
| GHS | Globally Harmonized System | RCRA | Resource Conservation Recovery Act |
| >= | Greater Than or Equal To | STEL | Short-term Exposure Limit |
| IC50 | Inhibition Concentration 50% | SARA | Superfund Amendments and Reauthorization Act. |
| IARC | International Agency for Research on Cancer | TLV | Threshold Limit Value |
| IECSC | Inventory of Existing Chemical Substances in China | TWA | Time Weighted Average |
| ENCS | Japan, Inventory of Existing and New Chemical Substances | TSCA | Toxic Substance Control Act |
| KECI | Korea, Existing Chemical Inventory | UVCB | Unknown or Variable Composition, Complex Reaction Products, and Biological Materials |
| <= | Less Than or Equal To | WHMIS | Workplace Hazardous Materials Information System |
| LC50 | | | Lethal Concentration 50% |